175692 Mg

Other (Specify):_

From:	Vivlemore, Tracy
Sent: To:	Thursday, January 05, 2006 10:17 AM STIC-Biotech/ChemLib
Subject:	RE: Sequence search request, application 10/719,367
	上
Maude,	e correct number is 10/791,367. hanks for catching that.
	e correct number is 10/791,367. Thanks for catching that.
I'm sorry! The	e correct number is 10/791,367. Thanks for catching that.
Tracy	
, raoy	<u> </u>
•	ıl Message
From: Sent:	STIC-Biotech/ChemLib Thursday, January 05, 2006-10:13-AM
To:	Vivlemore, Tracy
Subject:	RE: Sequence search request, application 10/719,367
	no valid CRF for this serial number, please provide us with another valid serial number. Thank you
10/719,36	67 is NO BIOTECH DATA, is this the correct number for this request? maude
0	riginal Message
From:	
Sent:	Thursday, January 05, 2006 9:23 AM

To: STIC-Biotech/ChemLib

Subject: Sequence search request, application 10/719,367

Hello,

For application 10/719,367, please perform a standard search of SEQ ID NO: 1.

Thank you,

Tracy Vivlemore PhD Remsen 2B-02, AU 1635

Mailbox: 2C-18 Tel: 571-272-2914

*********** Type of Search Vendors and cost where applicable Searcher: Searcher Phone: AA#: STN: DIALOG: S/L:____Oligomer:_ Date Searcher Picked up:_ Date completed:_ Encode/Transl: QUESTEL/ORBIT: LEXIS/NEXIS: Searcher Prep Time:_ Structure #:_ SEQUENCE SYSTEM: _ Litigation:_ Inventor:___ Online Time:_ WWW/Internet:_